Electronic Annex 2d Comparison of the WHIM, CRS-R and SMART tools

Table 1 Comparison of the WHIM, CSR-R and SMART tools

Features	WHIM	CRS	SMART profile
	Wessex Head Injury Matrix	JFK Coma Recovery Scale – Revised	Sensory Modality Assessment and Rehabilitation Technique Version 3
Overview of cost, validity,	, content and features according to recon	nmendations for neurobehavioural asses	sments
Type of tool and unique features	 Hierarchical observational assessment tool of 62 behavioural items ranging from coma to emergence from PTA. Evaluation of responses to both: > naturally occurring stimuli and > stimuli presented by assessor. 	Clinical assessment of PDOC across six modalities providing total and subscores.	Comprehensive clinical assessment providing complete profile of PDOC clients including family and team perspectives.
			Investigative element supports detailed evaluation of specific observed responses based on clinical reasoning.
			Supports development of a bespoke intervention and/or management plan.
What will the assessment tell you?	Overview of number, type of behaviours observed and the highest-	Sensory, motor, communication and arousal scores.	Behaviours at rest, type and frequency of responses per modality.
	level behaviour seen. Published analysis has categorised behaviours into those compatible with VS, MCS-, MCS+. ¹ Trajectory over repeated assessments.	Indicative diagnosis either VS and MCS. ² Now categorisable into MCS- and MCS+. Trajectory over repeated assessments. ^{3,4}	Indicative diagnosis (VS, MCS-, MCS+), for both motor and functional communication.
			Trajectory over sessions and repeated assessment, impact of prerequisites to diagnosis.
			Clinical intervention and management plan. Detailed report provided.
Recommended number/ timing of assessments	RCP guidelines recommend at least 10 WHIMs as part of formal PDOC	RCP guidelines recommend at least 10 CRS-Rs as part of formal PDOC	Detailed SMART evaluation requires 10 assessments recorded over 2–3 weeks.
	assessment.	assessment.	Thereafter, specific intervention based on clinical reasoning.

Features	WHIM Wessex Head Injury Matrix	CRS JFK Coma Recovery Scale – Revised	SMART profile Sensory Modality Assessment and Rehabilitation Technique Version 3
	Recommended for ongoing monitoring in the post-acute care setting. This is not onerous as the observations can be recorded as part of the therapy session or while delivering care.	(US originators recommend a minimum of six assessments for indicative diagnosis). Thereafter as required in context of review assessment.	
Family/friends/team involvement in process Eg interviewed face to face, by phone, observed responses jointly reviewed with assessor, compared directly to assessment findings.	Can be recorded by family (ideally on separate WHIM recording sheets. Although not formally validated, can be recorded by interview of family/carers to ascertain which behaviours they have noticed.	None required. But phone CRS-R now available for recording through interview with family and carers. ⁵	Yes – integral part of assessment. Family/friends/team are met and interviewed and any relevant responses observed jointly with assessor to verify. Report actively reviews any similarities or differences between findings versus formal assessment and defines future intervention.
Key content and unique feature of techniques	Use of personally meaningful stimuli which some patients are more likely to respond to. Tool was developed on the basis of <i>in</i> <i>vivo</i> observations of patients emerging from acute DOC as opposed to deciding in advance what it was thought would be significant and testing for this.	Addresses auditory, visual, motor oromotor/verbal function, communication and arousal. Now widely used and recommended as an international common language by for PDOC evaluation by the International Brain Injury Association DOC Special Interest Group. ⁶	Techniques addressing visual, auditory tactile, olfactory and gustatory responses.Core, advanced, functional exploration and emergence techniques.Explores cause and effect, use of auditory feedback switch, utilises a range of visual auditory and tactile cues and techniques to accommodate any sensory deficits such as hearing or vision and not disadvantage individuals.

Features	WHIM	CRS	SMART profile Sensory Modality Assessment and Rehabilitation Technique Version 3	
	Wessex Head Injury Matrix	JFK Coma Recovery Scale – Revised		
			Recording of more than 60 possible types of behaviours.	
Operational aspects				
Assessor experience	Can only be purchased by qualified healthcare professional.	No requirement for professional qualification.	Clear prerequisites for experience and skills meeting RCP guidelines before attendance on course permitted.	
Assessor training	Not mandatory, but recommended.	Not mandatory, but recommended.	Yes – mandatory.	
required	Regular 1-day training courses are available in the UK.	Free training CD provided by originators.	A range of training options is available from the originators.	
		Regular 1-day training courses are available in the UK. ^a	SMART training offers wider competencies for understanding and assessing PDOC and is one way of guaranteeing that clinicians meet the RCP requirements for specialist PDOC assessors.	
Cost of manual	Manual £59 inc. VAT. Scoring sheets (15 assessments each) pack of 25 @£55.80 inc. VAT (ie £2.23 for 15 assessments).	Free download.	Free download manual, forms and stimuli cards. £40 cost for auditory feedback switch.	
Cost of training	Optional. 1-day course available. ^a	Optional. One-day course available. ^a	Mandatory. Course cost dependent upon mode of delivery, see RHN website (from £100– £750).	
			Free mentorship.	

^a For example, the PDOC training course at Northwick Park Hospital includes tuition for the WHIM and the CRS-R in one day (£125)

[©] Royal College of Physicians 2020

Prolonged disorders of consciousness

Features	WHIM Wessex Head Injury Matrix	CRS JFK Coma Recovery Scale – Revised	SMART profile Sensory Modality Assessment and Rehabilitation Technique Version 3
			Some free places available for national PDOC units on each course.

Time per assessment	Per session as clinically required – usually 20–30 minutes.	30–40 minutes.	30–40 minutes.
Tool validity ⁸	Moderate reservations.	Minimal reservations.	Moderate reservations regarding lack of Rasch analysis.
Tool changes since Seel et al 2010 ⁸ recommendations	Some items known to be out of order. Research ongoing to investigate the hierarchy.	Validation in different languages – French, Italian, Spanish, Russian.	Rasch analysis completed (2016). ⁷ Version 3 (2018) meeting Seel <i>et al</i> (2010) criteria. ⁸

DOC = disorders of consciousness; MCS = minimally conscious state; PDOC = prolonged disorders of consciousness; PTA = post-traumatic amnesia; RHN = Royal Hospital for Neuro-disability; VS = vegetative state

Table 2 Summary of tool content: Sensory components included within the assessments

WHIM	CRS-R	SMART
No	Yes	Yes
Yes	Yes	Yes
No	1 min	Yes listed
	Not recorded	10 min x 10
No	Yes	Yes
No	Yes	Yes
No	No	Yes
No	Yes	Yes
	Centre field	Centre field and each quadrant
Yes?	Yes	Yes
Yes	Mirror	Yes
	Bright object	Toothbrush
		Photograph
		Mirror (T)
Yes	No	Yes
No	No	Yes
No	No	Yes
No	No	Yes
		3-6
No	No	Yes
No	No	Yes
Yes	Yes	Yes/No Cards
Object, picture	Object	Colour Cards
Yes/No cards (all		
not mandatory)		
	L, R	L, R, U, D
No	No	Yes/No Cards
		Colour Cards
	Yes No No No No No No Yes? Yes Yes Yes No No No No No No No No No No No So So So So So So So So So So So So So	YesYesNo1 min Not recordedNoYesNoYesNoNoNoNoNoYesNoYesNoYesVesCentre fieldYes?YesYesMirror Bright objectYesNoNoNoNoNoYesOnYesNoYesNoYesYesObject, picture Yes/No cards (all not mandatory)L, R

Technique / responses observed	WHIM	CRS-R	SMART
Location			L, R, U, D
Eye contact	Yes	No	Yes
Explores picture	Yes	No	No
		1	
Auditory responses	No response (N), re	flexive (R), withdraw	val (W), localising (L)
Response to loud sound and voice	L	N , R, L	N, R, W, L
Ignores distraction	Yes	No	No
Following verbal instruction	Yes	Yes	Yes
		2 commands given	3–6 commands given
Presses single auditory feedback switch to instruction	No	No	Yes
Yes/no responses with single auditory feedback switch	No	No	Yes
Touch / point to object	Yes	Yes	In SMART
		Object	treatment manual
			following assessment
			ussessment
Tactile responses	No response (N), re	flexive (R), withdraw	val (W), localising (L)
Response to light stimuli	No	No	Yes
Face / upper limbs			N, R, W, L
Tap on shoulder	No	No	Yes
			R, W, L
Differentiate two tactile stimuli	No	No	Yes
Olfactory responses			
Response to olfactory stimuli	No	No	N, R, W, L
Differentiate two olfactory stimuli	No	No	Yes
Custaton uncreased			1
Gustatory responses		Ne	
Response to gustatory stimuli	R	No	N, R, W, L
Differentiate two gustatory stimuli	No	No	Yes

Technique / responses observed	WHIM	CRS-R	SMART
Functional communication			
Vocalisation/gesture spontaneous	No	Yes	Yes
Vocalisation/gesture to stimuli	Yes	Yes	Yes
Non meaningful words / facial expression, rambling speech	Yes	No	Yes
Purposeful facial expression / mouthing words/sounds/, whispers	Yes	Yes	Yes
Discriminates, but no 'yes/no' response	Yes	Yes	Yes
ie gesture			
Yes and no	Yes	Yes	Yes
Answers biographical question	No	No	Yes
Answers situational questions	Yes	Yes (visual and or auditory set) 2–6	In SMART treatment manual following assessment
Answers orientation question	Yes	No	No
Higher-level function	Words to express mood, time of day, orientation, recall of items, previous session, name staff member, left/right of self	Words to instruction Verbalisation, alphabet board, writing	Words to instruction Letter scanning Switch Verbalisation, alphabet board, writing
Motor			
Motor	Voc	Voc	Voc
No response, reflexive, withdrawal, localising	Yes	Yes	Yes
Discriminating	Yes Playing cards	Yes	Yes
Functional activity	Pen	Comb, pen or any choice	Comb, pen Treatment phase: any choice

Technique / responses observed	WHIM	CRS-R	SMART
Pointing – motor	Yes	No	Treatment
	Coins		
Wakefulness/arousal			
Eye opening	Yes (>30 sec)	Yes	Yes
Length of time eyes open per	Yes (< 30 sec; >30	No	Yes
session	sec)		
Wakefulness per modality	No	No	Yes
Prompts required to remain awake	No	Yes	Yes

CRS-R = JFK Coma Recovery Scale – Revised; SMART = Sensory Modality Assessment and Rehabilitation Technique; WHIM = Wessex Head Injury Matrix

References

- 1 Turner-Stokes L, Bassett P, Rose H, Ashford S, Thu A. Serial measurement of Wessex Head Injury Matrix in the diagnosis of patients in vegetative and minimally conscious states: a cohort analysis. *BMJ Open* 2015 Apr 21;5(4):e006051.
- 2 Annen J, Filippini MM, Bonin E *et al*. Diagnostic accuracy of the CRS-R index in patients with disorders of consciousness. *Brain Inj* 2019;33(11):1409–12.
- Bagnato S, Boccagni C, Sant'Angelo A, Fingelkurts AA, Fingelkurts AA, Galardi G. Longitudinal Assessment of Clinical Signs of Recovery in Patients with Unresponsive Wakefulness Syndrome after Traumatic or Nontraumatic Brain Injury. *J Neurotrauma* 2017 Jan 15;34(2):535–9.
- 4 Bareham CA, Allanson J, Roberts N *et al*. Longitudinal assessments highlight long-term behavioural recovery in disorders of consciousness. *Brain Commun* 2019;1(1):fcz017.
- 5 Wolff A, Estraneo A, Noé E *et al. International validation of the Phone Outcome Questionnaire for patients with Disorders Of Consciousness*. International Brain Injury Association; March 2019; Toronto.2019.
- 6 Formisano R, Giustini M, Aloisi M *et al*. An International survey on diagnostic and prognostic protocols in patients with disorder of consciousness. *Brain Inj* 2019;33(8):974–84.

- 7 Tennant A, Gill-Thwaites H. A study of the internal construct and predictive validity of the SMART assessment for emergence from vegetative state. *Brain Inj* 2017;31(2):185– 92.
- 8 Seel RT, Sherer M, Whyte J *et al*. Assessment scales for disorders of consciousness: evidence-based recommendations for clinical practice and research. *Arch Phys Med Rehabil* 2010;91:1795–813.